
What's Out Tonight? OPTIMIZED FOR 1½ HOURS AFTER SUNSET but can be used after that for several more hours. November 2022 Sky Chart





Venus (15th of month), at magnitude -3.9, is too close to the Sun to be visible-it will become an evening star. Mars, at magnitude -1.6, in Taurus, rises in the east 1.5 hours after sunset. Jupiter, at magnitude -2.7, in Pisces, sets in the west around 2:30 AM. Saturn, at magnitude +0.7, in Capricornus, sets in the west around 11 PM.

the constellations of the zodiac.

Distances planets are from the Earth on the 15th of this month: Venus: 158,000,000 miles, Mars: 52,000,000 miles, Jupiter: 403,000,000 miles, Saturn: 920,000,000 miles. Note:

Mars is closest to Earth on November 30 at 50.613.000 miles.

November Notes

The Summer constellations still linger in the west but will retire soon for the winter. The bright stars *Deneb*, *Vega* and *Altair* form the **Summer Triangle**. Cygnus, the **Northern Cross**, has, as its bottom end, the beautiful blue/gold double star, *Albireo* that is visible with a telescope. More eastward is Pegasus and its **Great Square** with the Andromeda Galaxy closeby. On the eastern horizon is the red star, *Aldebaran*, an eye of the Bull. Above it is the **Pleiades** or Seven Sisters, always a favorite. It might look like a little dipper but it is NOT the Little Dipper.

Clusters, Nebulae & Galaxies

ly = Light year, a unit of distance. 1 ly = 6 trillion miles.

- Alpha Persei Cluster. Distance: 600 ly / Diameter: 31 ly / Mag 1.2 / Spans 3° / 30 stars.
- Andromeda Galaxy. Companion to our Milky Way Galaxy. Distance: 2,400,000 ly / Diameter: 120,000 ly / Mag 3.5 / Spans 3° x 1°.
- Coathanger Cluster. 10 stars shaped like a bar-type coathanger. It spans 2° and it stars are 150 ly away.
- **Double Cluster**. Two side-by-side clusters. Distances: 7,200 ly / Diameters: 63 ly / Mag 3.5 / Span 1° / 320 stars total. Best in a telescope.
- ► Pleiades. And, the "Seven Sisters." Visible with the eyes. Distance: 395 ly / Diameter: 13 ly / Spans 1.8° / 100 stars.
- IC4665. Cluster. A large sprinkle of stars. Distance: 1,400 ly / Diameter: 17 ly / Mag 4.2 / Spans 40' / 30 stars.
- **M15**. Globular Cluster. Distance: 34,000 ly / Diameter: 122 ly / Mag 6.2 / Spans 13'.
- **M11**. Wild Duck Cluster. Distance: 5,600 ly / Diameter: 23 ly / Mag 5.8 / Spans 14' / 200 stars.
- **M13**. Favorite Globular Cluster. Distance: 21,000 ly / Diameter: 104 ly / Mag 5.8 / Spans 17'.
- **M22**. Beautiful Globular Cluster. Distance: 10,000 ly / Diameter: 70 ly / Mag 5.1 / Spans 24'.
- **M34**. Large Cluster. Distance: 1,400 ly / Diameter: 14 ly / Mag 5.2 / Spans 35' / 60 stars. Try with binoculars, too.
- **M36**. Cluster. Distance: 3,700 ly / Diameter: 13 ly / Mag 6.0 / Spans 12' / 60 stars. Try with binoculars, too.
- M37. Cluster. Distance: 4,200 ly / Diameter: 29 ly / Mag 5.6 / Spans 24' / 150 stars. Try with binoculars, too.
- **M57**. Ring Nebula. Planetary Nebula that looks like a smoke ring. Smaller than what you might think. Estimated to be 1 ly in diameter and 2,000 ly away. Mag 9 / Spans 76" or 1.3'.

Observing Tips

If possible, observe at a dark location and when the Moon is not bright. A bright Moon will make it more difficult to see the stars and impossible to see clusters, nebulae and galaxies. Only a small telescope at lower magnifications, around 50x, is required to see the objects listed above. The planets and Moon are best observed with a telescope around 50x or more! To get a feel for the size of objects, the Moon extends 30' (30 arc minutes). The binocular objects are best with binoculars because these objects are large in size—telescopes have too much magnification.

Meteor Showers

Southern TAURIDS. Peaks around **November 5** with 5 meteors/hour. **Northern TAURIDS**. Peaks around **November 13** with 5 meteors/hour. **LEONIDS**. Peaks around **November 17** with 10 meteors/hour.

Brightest Stars

Aldebaran. Rising in TAURUS. Magnitude +1. Distance: 65 ly. Diameter: 36 times the Sun's. Orange Giant.

Altair. In AQUILA. Magnitude +0.9. Distance: 19 ly. Diameter: 1.9 times the Sun's.

Capella. In AURIGA. Magnitude +0.1. Distance: 42 ly. Diameter: 15 times the Sun's. It's actually 4 orbiting stars.

Deneb. In CYGNUS. Magnitude +1.3. Distance: 3200 ly. Diameter: 222 times the Sun's. Blue-White Supergiant.

Fomalhaut. In PISCIS AUSTRINUS. Magnitude 1.2. Distance: 25 ly. Diameter: +1.9 times the Sun's.

Mirach. In ANDROMEDA. Magnitude +2.1. Distance: 199 ly. Diameter: 89 times the Sun's.

Mirfak. In PERSEUS. Magnitude +1.8. Distance: 592 ly. Diameter: 64 times the Sun's.

Polaris. In URSA MINOR. Magnitude +2. Distance: 431 ly. 2,400 times brighter than the Sun. Supergiant Star.

Vega. In LYRA. Magnitude +0.02. Distance: 25 ly. Diameter: 2.4 times the Sun's.

Mythology

FOR THE CENTRAL CONSTELLATIONS, NORTH TO SOUTH

Arcas and his beautiful mother, Callisto were turned into the Little and Big Bears, **URSA MINOR** and **MAJOR** because of jealous Juno, wife of promiscuous Jupiter, who favored Callisto. During an early war between the Titans and Olympians, **DRACO**, the Dragon was flung to the North and frozen in place by the cold.

King **CEPHEUS** and Queen **CASSIOPEIA** ruled Ethiopia. Their daughter **ANDROMEDA** is being rescued by **PERSEUS** from the Sea Monster, **CETUS**. Andromeda was to be sacrificed to Cetus because Cassiopeia boasted of her and her daughter's beauty.

CAPRICORNUS is a "Seagoat," the partially transformed, halfgoat, half-fish body of the god Pan who got scared and hurriedly escaped the monster Typhoon in order to warn Jupiter. The word panic is derived from Pan. **AQUARIUS** is the Water and Cup Bearer, a servant of the gods. **PEGASUS**, the Winged Horse is the deliverer of Jupiter's thunderbolts. **CYGNUS**, the Swan helped Helios find the pieces of his son, having fallen from the chariot that pulls the Sun across the sky. **AQUILA** is Jupiter's Eagle that carries out tasks. **LYRA**, the Lyre was invented by Mercury and mastered by Apollo's son, Orpheus whose music had magical powers. **PISCES** represents Venus and Cupid who changed themselves into Fishes tied with a length of string to stay together and escape the monster Typhoon.

Moon Phases

- First Quarter. Tuesday, November 1, 1:37 am, CDT
- Full Moon. Tuesday, November 8, 6:02 am, CDT
- Third or Last Quarter. Wednesday, November 16, 7:27 am, CT
- New Moon. Wednesday, November 23, 4:57 pm, CT
- First Quarter. Wednesday, November 30, 8:36 am, CT

What's Out Tonight? November 2022 Sky Chart

Visit: WhatsOutTonight.com

Copyright ©2022 by Ken Graun. All rights reserved. Email: ken@kenpress.com • Phone: (520) 743-3200

What's Out Tonight? • Sky Chart Supplement

Αt

arm's

length...

One thumb

diameters.

Orion's height is one hand span.

The width of a fist spans the Big Dipper's

³ OCEAN

Moon

Ptolemaeus Alphonsus

Clusters, Nebulae & Galaxies

An **Open Cluster** is a group of several to hundreds of stars that were born out of the same nebula cloud. A group often forms a pretty pattern. The Pleiades and Praesepe are great examples. Open clusters reside in our Milky Way Galaxy. Our Sun is no longer in its group.

Globular Clusters look like fuzzy balls because they contain tens of thousands stars held together by their mutual gravity. All of the globulars that can be seen in the sky are part of our Milky Way Galaxy, and there are about 200 of them that surround our galaxy like a halo. M22 in SAGITTARIUS is a northern favorite.

A **Planetary Nebula** is an old term that has nothing to do with the planets. Instead, it is a round or symmetrical nebula that is the shed atmosphere of a dying star. At its center is a white dwarf star. When our Sun dies, it will create a planetary nebula. These objects have diameters of a few light years and are located in our galaxy. The Ring Nebula, M57, in LYRA is a favorite.

A **Nebula** is a giant hydrogen gas cloud that is located in our galaxy. Within these clouds, concentrations of gas can occur and gravitationally condense to form stars and accompanying planets. A set of stars created by a nebula is known as an Open Cluster. The Orion Nebula, M42 is a favorite.

Galaxies contain billions of stars. All galaxies are beyond our Milky Way Galaxy, where our Sun resides. When you are observing a galaxy, you are looking through our galaxy into the true depths of the universe. The Andromeda Galaxy, M31 can be seen with the naked eye.

Double Stars

A Double Star is a star that looks like one star but when magnified sufficiently (from 6x to 200x+), it separates into two or more stars. Some are very pretty because of contrasting colors. Castor in GEMINI is a favorite and Albireo in CYGNUS is well liked for its blue & gold colors.

Moon

PROCELLARUM Starting from New Moon, the Moon cycles through phases every 29 days, 12 hours, 44 minutes, 3 seconds. Kepler Copernicus. It is 2,160 miles in diameter and averages 239,000 miles from Earth. A New Moon is not visible in the sky because the Moon is positioned very close to the Sun. Solar eclipses occur at New Moon. The best time to observe the Moon is during a phase because the craters appear their sharpest near the terminator, the line that separates the lighted side (day side) from the dark side (night side). Our

Cycle of Moon Phases



Planets

The planets are best observed with a telescope using magnifications from 50x to 200x but 100x+ is dependent on a steady night sky. The 5 naked-eve planets are Mercury, Venus, Mars, Jupiter and Saturn. Venus is the brightest "star" and hangs close to the Sun, so you see it for a short time in the west after sunset or in the east before sunrise. Jupiter can be out all night and always outshines any star. Everyone enjoys its 4 Galilean moons and cloud bands, easily visible at 50x and possible with well-focused binoculars. Saturn has its beautiful rings. Mars gets close to Earth every 2 years at which time it is very bright. This is the

best time to observe it but you need higher magnifications around 150x to see the surface coloration.

•		Diameter In Miles	Rotation Its Day	Distance from Sun In Miles	Revolution Its Year
	SUN	865,000	30 days	_	_
	MERCURY	3,032	59 days	36,000,000	88 days
	VENUS	7,521	243 days	67,000,000	225 days
	EARTH	7,926	24 hours	93,000,000	365 days
	MARS	4,228	24.6 hours	142,000,000	687 days
	JUPITER	88,844	9.8 hours	484,000,000	11.8 years
	SATURN	74,900	10.2 hours	887,000,000	29 years
	URANUS	31,764	17.9 hours	1,800,000,000	84 years
	NEPTUNE	30,777	19.2 hours	2,800,000,000	164 years
	PLUTO*	1,433	6.4 days	3,700,000,000	248 years

*Demoted to a Dwarf Planet in 2006 because it is part of an outer debris field.

Light Year (ly) & Nearest Stars

A Light Year (ly) is a unit of length and is equal to the distance light travels in 1 year. Since light moves at the speed of 186,282 miles a second, 1 light year is nearly 6 trillion miles long. The closest star visible to the naked eye is the southern hemisphere Alpha (a) Centauri or Rigel Kentaurus in the constella-

MARE CRISIUM

MARE

TRANQUILITY o

Anollo 11

tion CENTAURUS. It shines brightly at magnitude -0.27 and is just 4.4

light years away. The very closest

star is Proxima in CENTAURUS at just 4.22 ly away but at magnitude +11, it's too faint to see with the eves. The second closest star visible to the naked eye is Sirius at 8.6 ly followed by

Epsilon (ϵ) Eridani at 10.5 ly and Procyon at 11.4 ly. There are several stars closer than these three but they are too faint to be seen with the naked eye.

What's Out Tonight? **Sky Charts**

Visit: WhatsOutTonight.com

Copyright ©2022 by Ken Graun. All rights reserved. Email: ken@kenpress.com • Phone: (520) 743-3200

What's Out Tonight?

More Celestial Tidbit about...

...the M-number Designations.

The Frenchman, Charles Messier, from Paris, during the 1700s compiled the very first catalogue of what is known today as Deep Sky Objects, which are clusters of stars, nebulae and galaxies. As the leading observational astronomer of his time he catalogued these non-stellar objects because such a catalogue did not exist, discovering a total of 110. Since he was the first to compile such a catalogue, his listing included most of the biggest and brightest objects that can be seen in the northern hemisphere—he used the equivalent of 4-inch diameter telescopes. His catalogue was superseded by William Herschel in 1785. Messier's catalogue is still used today, with an added M


placed in front of his numbering. Beginning amateur astronomers often observe this list as their first foray into observing Deep Sky Objects.

...the Constellations.

There are a total of 88 constellations in the sky. Each constellation has a boundary. If you include the boundary areas, CRUX (visible from the southern hemisphere) occupies the least area and HYDRA the most.

SERPENS is the only constellation that is split between two parts of the sky—on opposite sides of OPHIUCHUS. The eastern part is known as SERPENS Cauda (Cauda means tail) and the western part is known as SERPENS Caput (Caput means head).

In the northern hemisphere, we use the same constellations described by (visible to) the ancient Greeks, but a few have been added since then.



The Moon and the Andromeda Galaxy never get this close to one another in the sky, but this photo shows their comparative size. If Andromeda was very bright, as pictured, it would take 6 Moons to span its length. This image of the galaxy does not show the extremities of the galaxy. Many galaxies and nebulae span an area in the sky greater than that of the Moon, but because they are very faint, this evades attention—these faint objects even seem smaller than the Moon when viewed in a telescope—but they are not!

. . . the Stars.

The names of many stars are derived from Arabic. About 5,000 stars can be seen with the naked eyes—this includes both hemispheres. With a good dark sky, most people can see to about magnitude +6. Stars twinkle because of turbulence in the atmosphere and twinkle most when low in the sky because their pinpoint light gets easily refracted from different and moving layers of the atmosphere.

Greek Star Designations. Many of the "brighter" stars in the northern hemisphere have an associated lowercase Greek letter designation. This starts anew with each constellation and usually with the brightest star designated alpha (α) and so on

> down the line. Of course, many of these designated stars are named, too. These Greek letter designations were assigned by Johann

Brightest Naked-eye Stars CONSTELLATION MAG. Sun -26.73Bayer in the early 1600s. [Full Moon] -12.7**[Venus]** average brightness -4.1 ...the Milky Way. -2.2[Jupiter] average brightness Sirius **Canis Major** -1.46Canopus* Carina -0.72-0.04Arcturus **Bootes** Rigel Kent* Centaurus -0.27**[Saturn]** average brightness 0.0 Vega Lyra +0.03

+0.8

+0.11

+0.23

+0.34

+0.50

+2.0

*Southern Hemisphere

Auriga

Orion

Canis Minor

[Mercury] average brightness

Achernar* Eridanus

[Mars] average brightness

Capella

Procvon

Rigel

The Milky Way Band is the faint glow from most stars that make up our Milky Way Galaxy. Our Sun and its accompanying solar system reside in the Milky Way Galaxy, which consists of hundreds of billions of stars all gravitationally bound to one another. The shape of our galaxy is that of a flat dish with a central bulge and having an overall diameter of around 100,000 light years. The direction to the center of our galaxy is between

the constellations SAGITTARIUS and SCORPIUS, which happens to be the brightest part of the Milky Way Band. The Andromeda Galaxy is in the constellation ANDROMEDA, is a companion galaxy to ours, and can just be seen with the naked eyes under dark skies. If you could see its full extent, it would span 6 Moon diameters—there are plenty of pictures on the internet of this beautiful galaxy. Our galaxy and Andromeda are part of the Local Group of about 30 galaxies—most are on the smaller size. There are a few hundred billion galaxies in the Universe.

Star Charts

- ★ 11-inch Diameter, ISBN 1-928771-03-3 ★ 16-inch Diameter, ISBN 1-928771-01-7
 - ★ Equatorial. ISBN 1-928771-77-7
- ★ Southern Hemisphere, ISBN 1-928771-11-4 ★ Beginner's, ISBN 1-928771-99-8

Visit kenpress.com or Amazon

What's Out Tonight? **Sky Charts**

Visit: WhatsOutTonight.com

Copyright ©2022 by Ken Graun. All rights reserved. Email: ken@kenpress.com • Phone: (520) 743-3200